GB

Einhell Germany AG

GARDEN
2013/2014

Einhell

GB

Our Philosophy

Products. Well done.

We have grouped our over 45 years of experience in developing and manufacturing high-performance equipment into two basic product lines.

All the Red products represent our accumulated skills in product design and development. This is where exclusive, ergonomical design combines with practical functions, premium craftsmanship and good service for improved performance and better quality to meet the most demanding customer requirements.

The Blue line represents our entry-level products, which are characterized by their optimized utility at closely calculated prices. All our products provide performance that makes do-it-yourself projects fun as well as combine high functionality with safety and ease of use.

Performance and quality are well balanced and offered at prices that put a smile on everyone's face. Well done.

International

Einhell. Well done.

The Einhell group employs over 1,400 people in more than 50 countries around the world. With an annual sales volume that exceeds 10 million electric tools and machines, we are one of the most capable trade partners on a domestic as well as international level.

Our strength in the market allows us to achieve outstanding value with each of our products, which are tested by experts on site to ensure quality and safety. In addition, our development work in Germany is subjected to a thorough testing and inspection program. We demonstrate our high performance standards continuously in the form of practiceproven, sophisticated brand products.
Einhell. Well done.

Jan Teichert
Chief Financial Officer

Dr. Markus Thannhuber
Chief Technical Officer

Andreas Kroiss
Chairman of the Board of Directors

Garden

Lawn care	Lawn mowers	5
	Scarifiers / Aerator	8
	Trimmers / Scythe	9
	Tillers	11
Care of trees and shrubbery	Hedge trimmers	13
	Chainsaws	13
	Vac blowers	17
	Grass and shrub shears	18
	Shredders	19
Garden equipment		20
Water technology	Submersible pumps	23
	Garden pumps	24
	Home waterworks	24
	Petrol waterpumps	26
	Pond pumps / Pond filter / Pond accessories	26

SERVICE 28

Note: For safe handling of the products please refer to the instructions in the operating manual.

Einhell

Einhell Germany AG

MANUAL LAWN MOWER
BG-HM 30

30 cm | Ø 125 mm | 16 l | 15 - 42 mm | 150 m²

GB For ecologically-minded consumers | Quiet and environmentally friendly | Wide wheels exert less stress on the lawn | Mowing spindle with ball bearings | Incl. debris bag | Plastic roller Ø 45 mm

6.5 / 7.8 kg | 1

480 x 330 x 240 mm

Article number 34.141.10

4 006825 551389

MANUAL LAWN MOWER
BG-HM 40

40 cm | Ø 125 mm | 23 l | 15 - 35 mm | 250 m²

GB For ecologically-minded consumers | Quiet and environmentally friendly | Wide wheels exert less stress on the lawn | Mowing spindle with ball bearings | Incl. debris bag | Plastic roller Ø 50 mm

7.5 / 8.8 kg | 1

580 x 350 x 240 mm

Article number 34.141.20

4 006825 551396

REPLACEMENT BLADE FOR BG-EM 1030

1

Article number 34.056.00

4 006825 541007

ELECTRIC LAWN MOWER
BG-EM 1030

230 V ~ 50 Hz | 1000 W | 30 cm | 28 l | 25 - 60 mm | 250 m²

GB Powerful Carbon Power Motor | Folding handle | Wide wheels exert less stress on the lawn | Separate height adjustment of each wheel with 3 settings | High-capacity grass box

7.8 / 9.0 kg | 1

585 x 355 x 292 mm

Article number 34.002.40

4 006825 540390

ELECTRIC LAWN MOWER
BG-EM 1437

230 V ~ 50 Hz | 1400 W | 37 cm | 36 l | 25 - 60 mm | 500 m²

GB Powerful Carbon Power Motor | Folding handle | Wide wheels exert less stress on the lawn | Axial height adjustment with 3 settings | High-capacity grass box

9.5 / 11.5 kg | 1

690 x 455 x 350 mm

Article number 34.002.85

4 006825 574043

ELECTRIC LAWN MOWER
BG-EM 1743 HW

230 V ~ 50 Hz | 1700 W | 43 cm | 52 l | 20 - 70 mm | 700 m²

GB Powerful Carbon Power Motor | Folding handle | Highwheeler | Impact-resistant | High-grade plastic housing | Grass box | Central cutting height adjustment with 6 settings

18.1 / 21.0 kg | 1

775 x 535 x 378 mm

Article number 34.005.90

4 006825 572940

REPLACEMENT BLADE FOR BG-EM 1437

1

Article number 34.056.05

4 006825 541014

REPLACEMENT BLADE FOR BG-EM 1743 HW

1

Article number 34.056.10

4 006825 541038

Weight net / gross | Packing dimensions | Packaging unit

PETROL LAWN MOWER

BG-PM 40

118 ccm | kW / U/min. 1.74 / 2850 | 4-stroke | 40 cm

40 l | 30 - 60 mm | 800 m²

GB Ergonomic folding handle | 1 cylinder, 4-stroke engine | Sheet steel housing | Hard-wearing textile grass bag | Handle with starter cable | Separate cutting height adjustment of each wheel with 3 settings

24.6 / 28.3 kg | 1

690 x 440 x 510 mm

Article number 34.024.20

4 006825 570144

PETROL LAWN MOWER

BG-PM 46/1

139 ccm | kW / U/min. 2.45 / 2850 | 4-stroke | 46 cm

53 l | 24 - 90 mm | 1400 m²

GB Height adjustable and folding handle | 1 cylinder, 4-stroke engine | Sheet steel housing | Hard-wearing textile grass bag with filling level indicator | Handle with starter cable | Central cutting height adjustment with 10 settings

29.0 / 31.2 kg | 1

770 x 440 x 550 mm

Article number 34.024.01

4 006825 577372

PETROL LAWN MOWER

BG-PM 46 S

135 ccm | kW / U/min. 2.17 / 3100 | 4-stroke | 46 cm

60 l | 32 - 70 mm | 1400 m²

GB Ergonomic folding handle | 1 cylinder, 4-stroke engine | Sheet steel housing | Hard-wearing textile grass bag | Handle with starter cable | Rear-wheel drive | Central cutting height adjustment with 5 settings

35.6 / 38.1 kg | 1

780 x 570 x 430 mm

Article number 34.007.10

4 006825 548174

PETROL LAWN MOWER

BG-PM 46/3 S

139 ccm | kW / U/min. 2.45 / 2850 | 4-stroke | 46 cm

53 l | 22 - 87 mm | 1400 m²

GB Height adjustable and folding handle | 1 cylinder, 4-stroke engine | Sheet steel housing | Hard-wearing textile grass bag with filling level indicator | Handle with starter cable | Rear-wheel drive | With 9 settings Central cutting height adjustment

32.5 / 35.5 kg | 1

770 x 440 x 550 mm

Article number 34.024.11

4 006825 577389

PETROL LAWN MOWER

BG-PM 46 S HW

139 ccm | kW / U/min. 2.17 / 2800 | 4-stroke | 46 cm

65 l | 30 - 90 mm | 1400 m²

GB Height adjustable and folding handle | 1 cylinder, 4-stroke engine | Mulching function | Side ejector | Central cutting height adjustment (easy lifting system) with 6 settings | Rear-wheel drive | Sheet steel housing | High-wheeler

39.0 / 44.2 kg | 1

850 x 570 x 530 mm

Article number 34.007.70

4 006825 570083

PETROL LAWN MOWER

BG-PM 51 S HW

163 ccm | kW / U/min. 2.75 / 2800 | 4-stroke | 51 cm

70 l | 30 - 90 mm | 1800 m²

GB Height adjustable and folding handle | 1 cylinder, 4-stroke engine | Mulching function | Side ejector | Central cutting height adjustment (easy lifting system) with 6 settings | Rear-wheel drive | Sheet steel housing | Highwheeler

44.0 / 49.4 kg | 1

910 x 530 x 570 mm

Article number 34.007.80

4 006825 570106

PETROL LAWN MOWER

BG-PM 51 S HW-E

163 ccm | kW / U/min. 2.5 / 2800 | 4-stroke | 51 cm

70 l | 30 - 90 mm | 1800 m²

GB Height adjustable and folding handle | 1 cylinder, 4-stroke engine | Mulching function | Side ejector | Central cutting height adjustment (easy lifting system) with 6 settings | Rear-wheel drive | Sheet steel housing | Highwheeler | E-Start function

49.0 / 54.1 kg | 1

910 x 530 x 570 mm

Article number 34.007.85

4 006825 577341

PETROL LAWN MOWER

BG-PM 51 SD

139 ccm | kW / U/min. 2.45 / 2850 | 4-stroke | 51 cm

30 - 60 mm | 1600 m²

GB Height adjustable and folding handle | Sheet steel housing | Side ejector | Separate cutting height adjustment of each wheel with 3 settings | Handle with starter cable

24.5 / 28.4 kg | 1

770 x 415 x 560 mm

Article number 34.024.40

4 006825 570168

Weight net / gross | Packing dimensions | Packaging unit

Einhell Germany AG

REPLACEMENT BLADE FOR BG-PM 40

1
Article number 34.057.50
4 006825 572650

REPLACEMENT BLADE FOR BG-PM 46/1 / BG-PM 46/3 S

1
Article number 34.057.55
4 006825 572667

REPLACEMENT BLADE FOR BG-PM 46 S

1
Article number 34.055.29
4 006825 548884

REPLACEMENT BLADE FOR BG-PM 46 S HW

1
Article number 34.057.65
4 006825 572780

REPLACEMENT BLADE FOR BG-PM 51 S HW / BG-PM 51 S HW-E

1
Article number 34.057.70
4 006825 572797

REPLACEMENT BLADE FOR BG-PM 51 SD

1
Article number 34.057.60
4 006825 572773

MULCHING BLADE FOR BG-PM 46 S HW

1
Article number 34.057.80
4 006825 572810

MULCHING BLADE FOR BG-PM 51 S HW-E / BG-PM 51 S HW

1
Article number 34.055.65
4 006825 551464

ELECTRIC SCARIFIER

BG-ES 1231

DE: rating "Good"

230 V ~ 50 Hz | 1200 W | 31 cm | 3 / 7 / 9 mm

28 l

GB Safety switch | Folding long handle | Integrated height adjustment (3 settings) | 4 wheels | Powerful series-wound motor | Grass bag | 8 double blades

9.5 / 11.4 kg | 1

590 x 440 x 330 mm

Article number 34.205.12

4 006825 549065

ELECTRIC SCARIFIER / AERATOR KIT

BG-SA 1231

DE: rating "Very Good"

230 V ~ 50 Hz | 1200 W | 31 cm | 3 / 7 / 9 mm

45 l

GB Safety switch | Folding long handle | Integrated height adjustment (3 settings) | 4 wheels | Powerful series-wound motor | Grass bag | 8 double blades | 42 claws

10.4 / 12.5 kg | 1

580 x 440 x 330 mm

Article number 34.205.05

4 006825 549119

PETROL SCARIFIER

BG-SC 2240 P

DE: rating "Good" | Test winner price/performance

2.2 kW (3.0 PS) | 4-stroke | 40 cm | 5 - 15 mm

45 l

GB 4-stroke engine, 1 cylinder | Sheet steel housing | Wide wheels exert less stress on the lawn | Central height adjustment with 6 settings | Transport setting | Parking position setting | 18 double blades

32.8 / 36.5 kg | 1

650 x 540 x 630 mm

Article number 34.200.00

4 006825 547412

REPLACEMENT CUTTING UNIT FOR BG-ES 1231 / BG-SA 1231

GB 8 double blades

1

Article number 34.055.80

4 006825 544176

REPLACEMENT AERATING UNIT FOR BG-SA 1231

GB 42 claws

1

Article number 34.055.70

4 006825 544152

REPLACEMENT CUTTING UNIT FOR BG-SC 2240 P

GB 18 double blades

1

Article number 34.200.10

4 006825 551471

Weight net / gross | Packing dimensions | Packaging unit

TRIMMERS / SCYTHE

Einhell Germany AG

CORDLESS GRASS TRIMMER
BG-CT 18/1 Li

18 V / 1.3 Ah | 3 - 5 h | n_0 = 8000 min^{-1} | Ø 25 cm

35 min

GB Telescopic long handle | Motor head can be rotated through 180° | Motor head can be adjusted to 3 angles | 12 plastic blades included

2.1 / 2.6 kg | 1

235 x 92 x 930 mm

Article number 34.111.60

4 006825 581058

REPLACEMENT BATTERY FOR BG-CT 18/1 Li

GB Li-Ion 18 V / 1.3 Ah

1

Article number 45.115.48

4 006825 581041

REPLACEMENT BLADE SET FOR BG-CT 18/1 Li

GB 20 pieces

1

Article number 34.057.35

4 006825 581034

ELECTRIC GRASS TRIMMER
BG-ET 2620

230 V ~ 50 Hz | 260 W | n_0 = 12000 min^{-1} | Ø 20 cm

Ø 1.2 mm | TIP AUTOMATIC

GB Sturdy universal motor | Cable strain-relief clamp | Twin line cut | Comfortable two-hand operation thanks to additional handle | Line feed with automatic jog system

1.5 / 2.0 kg | 1

620 x 190 x 105 mm

Article number 34.013.50

4 006825 556063

ELECTRIC GRASS TRIMMER
BG-ET 3725

230 V ~ 50 Hz | 370 W | n_0 = 12000 min^{-1} | Ø 25 cm

Ø 1.2 mm | TIP AUTOMATIC

GB Comfortable two-hand operation thanks to additional handle | Motor head can be rotated through 180° | Telescopic long handle | Infinitely adjustable | Twin line cut | Line feed with automatic jog system

2.8 / 3.3 kg | 1

200 x 114 x 630 mm

Article number 34.011.90

4 006825 556070

ELECTRIC GRASS TRIMMER
BG-ET 5529

230 V ~ 50 Hz | 550 W | n_0 = 10500 min^{-1} | Ø 29 cm

Ø 1.4 mm | TIP AUTOMATIC

GB Motor head can be adjusted to 4 angles | Comfortable two-hand operation thanks to additional handle | Motor head can be rotated through 180° | Telescopic long handle, infinitely adjustable | Twin line cut | Line feed with automatic jog system

2.3 / 2.7 kg | 1

855 x 170 x 115 mm

Article number 34.015.40

4 006825 572926

PETROL TRIMMER
BG-PT 2538 AS

25.4 ccm 0.75 kW (1.0 PS) | Ø 2 mm | 0.45 l | Ø 38 cm

TIP AUTOMATIC

GB Auto choke, primer and electronic ignition | Infinitely adjustable additional handle | Aluminium long handle | Twin line spool with automatic jog system | Split shaft

5.8 / 7.1 kg | 1

280 x 270 x 1020 mm

Article number 34.018.65

4 006825 571264

PETROL TRIMMER

BG-PT 3043 SE

DE: rating "Good" | Test winner price/performance

PREIS-/LEISTUNGSSIEGER
TESTMAGAZIN · URTEIL
Einheit BG-PT 3043 SE
GUT 83,0 %
9 Benzin-Rasentrimmer im Vergleichstest Heft 05/2011

29,7 ccm
0.76 kW (1.03 PS)

0.6 l

Ø 43 cm

Ø 2 mm

TIP AUTOMATIC

GB Auto choke, primer and electronic ignition | Infinitely adjustable additional handle | Aluminium long handle | Twin line spool with automatic jog system | Split shaft

5.2 / 7.0 kg | 1

980 x 275 x 250 mm

Article number 34.018.70

4 006825 559613

PETROL SCYTHE

BG-BC 25 AS

25.4 ccm
0.75 kW (1 PS)

0.45 l

Ø 23 cm

Ø 42 cm

Ø 2 mm

TIP AUTOMATIC

GB Auto choke, primer and electronic ignition | Universally adjustable additional handle | Aluminium tubular long handle | Comfort carrying strap | 3-tooth blade | Blade guard hood | Twin line spool with automatic jog system | Handle with all control elements | Split shaft

6.3 / 8.6 kg | 1

280 x 270 x 1020 mm

Article number 34.019.50

4 006825 571288

PETROL SCYTHE

BG-BC 33-4 S

33.5 ccm
1 kW (1.36 PS)

4-stroke

0.65 l

Ø 25.5 cm

Ø 46 cm

Ø 2.5 mm

TIP AUTOMATIC

GB Primer and electronic ignition | Universally adjustable additional handle | Aluminium tubular long handle | Comfort carrying strap | 3-tooth blade | Blade guard hood | Twin line spool with automatic jog system | Handle with all control elements | Split shaft

9.0 / 11.8 kg | 1

300 x 1130 x 300 mm

Article number 34.017.35

4 006825 578447

PETROL SCYTHE

BG-BC 43 AS

42.7 ccm
1.35 kW (1.8 PS)

0.8 l

Ø 23 cm

Ø 41 cm

Ø 2 mm

TIP AUTOMATIC

GB Auto choke, primer and electronic ignition | Universally adjustable additional handle | Aluminium tubular long handle | Comfort carrying strap | 4-tooth blade | Blade guard hood | Twin line spool with automatic jog system | Handle with all control elements | Split shaft

6.9 / 10.8 kg | 1

1005 x 290 x 320mm

Article number 34.019.20

4 006825 571240

REPLACEMENT LINE SPOOL FOR BG-ET 2620 / BG-ET 3725

GB Cutting line 1.2 mm | Cutting line length 9 m

1

Article number 34.050.10

4 006825 501636

REPLACEMENT LINE SPOOL FOR BG-ET 5529

GB Cutting line 1.4 mm | Cutting line length 10 m

1

Article number 34.050.70

4 006825 572933

REPLACEMENT LINE SPOOL FOR BG-PT 2538 AS

GB Cutting line 2 mm | Cutting line length 4 m

1

Article number 34.052.20

4 006825 558975

REPLACEMENT LINE SPOOL FOR BG-PT 3043 SE

GB Cutting line 2 mm | Cutting line length 5 m

1

Article number 34.052.25

4 006825 559620

REPLACEMENT LINE SPOOL FOR BG-BC 25 AS / BG-BC 43 AS / BG-BC 33-4 S / BG-CB 2041 T

GB Cutting line 2.4 mm | Cutting line length 6 m

1

Article number 34.050.86

4 006825 546019

REPLACEMENT BLADE FOR BG-BC 25 AS / BG-BC 33-4 S / BG-CB 2041 T

GB Teeth 3 | Cutting width with blade 25.5 cm

1

Article number 34.049.95

4 006825 560220

REPLACEMENT BLADE FOR BG-BC 25 AS / BG-BC 43 AS / BG-CB 2041 T

GB Teeth 4 | Cutting width with blade 23 cm

1

Article number 34.050.81

4 006825 546026

Weight net / gross

Packing dimensions

Packaging unit

Einhell Germany AG

ELECTRIC POWER CULTIVATOR

BG-RT 1340 M

230 V ~ 50 Hz | 1300 W | 400 mm | max. 20 cm

Ø 23 cm

GB 2 point safety switch | Ergonomic folding handle | 6 robust cultivator blades | Height-adjustable wheels with 5 settings | Cable strain-relief clamp | Carrying handle

15.7 / 18.0 kg | 1

420 x 570 x 410 mm

Article number 34.310.30

4 006825 569810

ELECTRIC POWER CULTIVATOR

BG-RT 7530

230 V ~ 50 Hz | 750 W | 300 mm | max. 20 cm

Ø 22 cm

GB 2 point safety switch | Ergonomic folding handle | 4 robust cultivator blades | Cable strain-relief clamp

7.0 / 8.6 kg | 1

355 x 305 x 470 mm

Article number 34.310.14

4 006825 548082

PETROL TILLER

BG-MT 3336

3.3 kW (4.5 PS) | 4-stroke | 360 mm | max. 23 cm

Ø 26 cm

GB 1 cylinder | 4-stroke engine | Chopping knife stop due dead man's control | Turning guide wheel | 4 robust cultivator blades | Height adjustable brake shoe | Height adjustable steady grips

33.0 / 36.8 kg | 1

670 x 395 x 700 mm

Article number 34.302.73

4 006825 548150

PETROL TILLER

BG-MT 3360 LD

4.4 kW (6 PS) | 4-stroke | 600 mm | max. 23 cm

Ø 26 cm

GB 1 cylinder | 4-stroke engine | Chopping knife stop due dead man's control | Turning guide wheel | 6 robust cultivator blades | Lateral limitation discs | Height adjustable brake shoe | Height adjustable steady grips

38.0 / 42.0 kg | 1

700 x 400 x 700 mm

Article number 34.302.76

4 006825 548440

Einhell

HEDGE TRIMMERS

CORDLESS HEDGE TRIMMER

BG-CH 18 Li

DE: rating "Good" | Test winner price/performance

18 V / 1.3 Ah | 3 - 5 h | 55 min | 11 mm

51 cm | 2200 min⁻¹

GB Rotating rear handle (- 90°, 0, + 90°) | Adjustable front handle | Aluminium cover on cutters | Bumper guard with wall holder | Electronic cutter stop < 1 sec | Large hand guard

2.6 / 3.4 kg | 1

985 x 205 x 120 mm

Article number 34.105.30

4 006825 557206

ELECTRIC HEDGE TRIMMER

BG-EH 5747

230 V ~ 50 Hz | 570 W | 14 mm | 46.5 cm

3200 min⁻¹ | Softpainted

GB Two-hand safety switch with cutter stop < 1 sec. | Metal gearing for long life | Bumper guard with wall holder | Aluminium cover on cutters | Large hand guard | Softpainted

3.1 / 3.9 kg | 1

959 x 110 x 198 mm

Article number 34.037.40

4 006825 560275

Einhell Germany AG

REPLACEMENT BATTERY FOR BG-CH 18 Li

GB Li-Ion 18 V / 1.3 Ah

1

Article number 45.115.46

4 006825 565782

CHAINSAWS

PETROL HEDGE TRIMMER

BG-PH 2652

26 ccm | 0.75 kW (1.0 PS) | 0.5 l | 19 mm

52 cm | 2300 min⁻¹

GB Low-vibration 2-stroke engine | Electronic ignition | Rotating rear handle (-90°,-45°,0°,45°,90°) | Counter-rotating double-bladed safety cutters made of precision-ground special steel | Primer (manual fuel pump)

5.6 / 8.2 kg | 1

1130 x 250 x 220 mm

Article number 34.038.25

4 006825 548143

CORDLESS TREE POLE PRUNER

BG-LC 1815 T

18 V / 1.5 Ah | 24 cm | 20 cm | 170 m/min

30 min | 1 h

GB Carrying strap | Automatic chain lubrication | Max. working height 3.8 m | Telescopic from 185 to 265 cm | 1 h-charger

3.8 / 5.9 kg | 1

1670 x 150 x 115 mm

Article number 34.107.01

4 006825 579956

ELECTRIC TREE POLE PRUNER

BG-EC 620 T

230 V ~ 50 Hz | 600 W | 20 cm | 18 cm

13 m/s | ca. 110 ml

GB Carrying strap | Automatic chain lubrication | Max. working height 4.0 m | Telescopic from 230 to 290 cm | Adjustable additional handle | Split shaft

3.9 / 5.1 kg | 1

1140 x 160 x 150 mm

Article number 45.015.90

4 006825 565904

Weight net / gross | Packing dimensions | Packaging unit

PETROL TREE POLE PRUNER

BG-PC 2625 T

25.4 ccm | 0.8 kW (1.1 PS) | 0.45 l | 20 cm | 18 cm | 18 m/s

GB Carrying strap | Automatic chain lubrication | Max. working height 3.8 m | Aluminium long handle | Split shaft | Primer | Electronic ignition

6.5 / 8.0 kg | 1

1090 x 250 x 270 mm

Article number 45.016.30

4 006825 577839

PETROL MULTI FUNCTION TOOL

BG-CB 2041 T

25.4 ccm 0.8 kW (1.1 PS) | n_0 = 8500 min^{-1} | 0.45 l | 20 cm | 18 m/s | Ø 2 mm | Ø 41 cm | Ø 23 cm

GB Petrol-powered pole pruner and scythe | Carrying strap | Automatic chain lubrication | Max. working height 3.5 m | Adjustable additional handle | Split shaft | 4-teeth blade | Twin line spool with tip automatic

6.4 / 9.5 kg | 1

1090 x 250 x 270 mm

Article number 45.016.50

4 006825 580075

PETROL MULTIFUNCTION TOOL

BG-CB 2041 TH

25.4 ccm 0.8 kW (1.1 PS) | 0.45 l | 40 cm | 20 cm | 18 m/s | Ø 2 mm | Ø 41 cm | Ø 23 cm

GB Petrol-powered pole pruner and scythe with pole hedge trimmer | Carrying strap | Automatic chain lubrication | Max. working height 3.5 m | Adjustable additional handle | Split shaft | 4-teeth blade | Twin line spool with tip automatic

10.1 / 12.5 kg | 1

1083 x 255 x 268 mm

Article number 45.016.55

4 006825 587302

ELECTRIC CHAINSAW

BG-EC 1840 TC

230 V ~ 50 Hz | 1800 W | 40 cm | 13.0 m/s | ca. 120 ml

GB Cutter rail and chain from OREGON | Kickback protection | Chain brake | Chain catch bolts | Cutter rail with sprocket nose | Sturdy metal claw stop | Automatic chain lubrication | Tool-free chain tensioning

5.0 / 5.9 kg | 1

460 x 260 x 200 mm

Article number 45.017.00

4 006825 574654

ELECTRIC CHAINSAW

BG-EC 2240

230 V ~ 50 Hz | 2200 W | 40 cm | 13 m/s | ca. 110 ml

GB Cutter rail and chain from OREGON | Kickback protection | Chain catch bolts | Cutter rail with sprocket nose | Sturdy metal claw stop | Automatic chain lubrication | Tool-free chain tensioning

4.3 / 5.5 kg | 1

475 x 255 x 175 mm

Article number 45.015.80

4 006825 563917

PETROL CHAINSAW

BG-PC 1235

37 ccm 1.2 kW (1.6 PS) | 35 cm | 21 m/s | 310 ml | ca. 210 ml

GB Cutter rail and chain from OREGON | Auto choke | Primer and electronic ignition | Chain catch | Anti-vibration - cushions shocks | Automatic lubrication of cutter rail and chain

4.7 / 6.8 kg | 1

410 x 265 x 295 mm

Article number 45.016.40

4 006825 579406

PETROL CHAINSAW

BG-PC 4040

40 ccm 1.5 kW (2.0 PS) | 40 cm | 21 m/s | 400 ml | ca. 210 ml

GB Cutter rail and chain from OREGON | Auto choke | Primer and electronic ignition | Chain catch | Anti-vibration - cushions shocks | Automatic lubrication of cutter rail and chain | Walbro carburetor

5.4 / 7.3 kg | 1

450 x 270 x 310 mm

Article number 45.013.73

4 006825 548556

PETROL CHAINSAW

BG-PC 2245

49.3 ccm 2.2 kW (3.0 PS) | 45 cm | 21.2 m/s | 550 ml | ca. 260 ml

GB Cutter rail and chain from OREGON | Auto choke | Primer and electronic ignition | Chain catch | Anti-vibration - cushions shocks | Automatic lubrication of cutter rail and chain | Walbro carburetor

7.2 / 8.6 kg | 1

465 x 270 x 330 mm

Article number 45.013.88

4 006825 581324

Weight net / gross | Packing dimensions | Packaging unit

SAW CHAIN SHARPENER
BG-CS 85 E

230 V ~ 50 Hz | 85 W | n_0= 4800 min^{-1} | Ø 108 x Ø 23 x 3.2 mm

GB Depth stop | Scale for precise grinding angle setting | Chain tensioning device | Grinding wheel | Transparent viewing window

2.0 / 3.3 kg | 1

340 x 240 x 160 mm

Article number 45.000.44

4 006825 548495

SAW CHAIN SHARPENER
BG-CS 85 F

230 V ~ 50 Hz | 85 W | n_0= 5300 min^{-1} | Ø 108 x Ø 23 x 3.2 mm

GB Depth stop | Scale for precise grinding angle setting | Automatic chain clamping device for safe and quick chain sharpening | Grinding wheel | Transparent viewing window

2.1 / 2.5 kg | 1

260 x 255 x 165 mm

Article number 44.999.00

4 006825 590388

SAW CHAIN SHARPENER
BG-CS 235 E

230 V ~ 50 Hz | 235 W | n_0= 3000 min^{-1} | Ø 145 x Ø 22 x 3.2 mm

GB Depth stop | Scale for precise grinding angle setting | Grinding wheel | Chain tensioning device | Transparent viewing window | Light Adjustment facility for roof angle adjustment

6.1 / 7.8 kg | 1

475 x 340 x 210 mm

Article number 45.000.80

4 006825 551570

Einhell Germany AG

WOOD MOISTURE METER

GB 12 units in a display | For measuring the moisture in wood, plaster, mortar, etc.

12

Article number 45.016.20

4 006825 563436

REPLACEMENT GRINDING WHEEL BG-CS 85 E / BG-CS 85 F

GB Ø 108 x Ø 23 x 3.2 mm

1

Article number 45.000.76

4 006825 548860

REPLACEMENT GRINDING WHEEL BG-CS 85 E / BG-CS 85 F

GB Ø 108 x Ø 23 x 4.5 mm

1

Article number 45.000.71

4 006825 548853

ALU-CHAINSAW TRESTLE



GB Foldable for space saving storage | Robust aluminium profiles | Working height approx. 60 - 64 - 68 cm | Length approx. 80 kg | For tree trunks of up to approx. 30 cm in diameter | Max. load capacity 150 kg

Also available:
Chain sawing trestle made of galvanized metal profiles – not GS-certified (45.000.67)

3.7 / 3.8 kg | 1

1010 x 57 x 98 mm

Article number 44.999.90

4 006825 548693

FOREST SAFETY HELMET

GB Visor made of wire mesh | Ear protectors | Individual adjustment to head size

1 | 0.7 / 1.1 kg | 290 x 230 x 160 mm

Article number 45.004.80

4 006825 544565

REPLACEMENT GRINDING WHEEL FOR BG-CS 235 E

GB Ø 108 x Ø 23 x 3.2 mm

1

Article number 45.999.90

4 006825 552881

REPLACEMENT GRINDING WHEEL FOR BG-CS 235 E

GB Ø 108 x Ø 23 x 4.5 mm

1

Article number 45.999.80

4 006825 552874

COMBINATION CANISTER

GB For 3 l petrol and 1.25 l oil | Incl. storage compartment for tools and filler neck | Made in Germany

1

Article number 45.013.25

4 006825 542851

REPLACEMENT BATTERY FOR BG-LC 1815 T

GB Li-Ion 18 V / 1.5 Ah

1

Article number 34.107.03

4 006825 583120

REPLACEMENT CHAIN FOR BG-LC 1815 T

GB Chain pitch: 3/8"

1

Article number 45.001.23

4 006825 580037

REPLACEMENT CHAIN FOR BG-EC 620 T

GB Chain pitch: 3/8"

1

Article number 45.001.21

4 006825 569117

REPLACEMENT CHAIN FOR BG-CB 2041 T / BG-CB 2041 TH / BG-PC 2625 T

GB Chain pitch: 3/8"

1

Article number 45.016.26

4 006825 578065

REPLACEMENT CHAIN FOR BG-EC 1840 TC

GB Chain pitch: 3/8"

1

Article number 45.003.12

4 006825 546620

REPLACEMENT CHAIN FOR BG-EC 2240

GB Chain pitch: 3/8"

1

Article number 45.003.20

4 006825 578126

REPLACEMENT CHAIN FOR BG-PC 1235

GB Chain pitch: 3/8"

1

Article number 45.001.71

4 006825 548846

REPLACEMENT CHAIN FOR BG-PC 4040

GB Chain pitch: 3/8"

1

Article number 45.001.76

4 006825 548839

REPLACEMENT CHAIN FOR BG-PC 5045

GB Chain pitch: 0,325"

1

Article number 45.001.81

4 006825 548792

REPLACEMENT CUTTER RAIL FOR BG-LC 1815 T

1

Article number 45.001.18

4 006825 580044

REPLACEMENT CUTTER RAIL FOR BG-EC 620 T

1

Article number 45.001.17

4 006825 569100

REPLACEMENT CUTTER RAIL FOR BG-CB 2041 T / BG-CB 2041 TH / BG-PC 2625 T

1

Article number 45.016.25

4 006825 578058

REPLACEMENT CUTTER RAIL FOR BG-EC 2240 / BG-EC 1840 TC

1

Article number 45.003.32

4 006825 546637

REPLACEMENT CUTTER RAIL FOR BG-PC 1235

1

Article number 45.001.51

4 006825 548907

REPLACEMENT CUTTER RAIL FOR BG-PC 4040

1

Article number 45.001.56

4 006825 548778

REPLACEMENT CUTTER RAIL FOR BG-PC 5045

1

Article number 45.001.61

4 006825 548730

Weight net / gross

Packing dimensions

Packaging unit

CHAIN OIL FOR PETROL AND ELECTRIC CHAINSAWS 1 L

GB Biologically degradable within a short time

1

Article number 45.004.21

4 006825 548716

CHAIN OIL FOR PETROL AND ELECTRIC CHAINSAWS 5 L

GB Biologically degradable within a short time

1

Article number 45.004.11

4 006825 548709

VAC BLOWERS

Einhell Germany AG

PETROL BLOWER VAC

BG-PL 26/1

25.4 ccm | 0.65 kW (0.9 PS) | n_{max}= 8000 min^{-1} | 800 ml

55 l | 650 m³/h | 210 km/h | 1 : 10

GB Adjustable carrying strap | Large suction tube | Debris bag 55 l | Selector switch for vacuum/blower | Suction nozzle with 2 guide rollers

6.9 / 7.0 kg | 1

800 x 300 x 455 mm

Article number 34.360.30

4 006825 561517

PETROL SHOULDER BLOWER

BG-PB 33

33 ccm | 0.9 kW (1.2 PS) | n_{max}= 8500 min^{-1} | 650 ml

250 km/h

GB Adjustable carrying strap | All control elements integrated in the handle | Lockable throttle lever | 2-stroke engine

5.8 / 7.8 kg | 1

420 x 350 x 420 mm

Article number 34.360.40

4 006825 561524

ELECTRIC BLOWER VAC

BG-EL 2300/1

230 V ~ 50 Hz | 2300 W | n_0=15000 min^{-1} | 40 l

10 : 1 | 780 m³/h | 240 km/h

GB ON/OFF switch | Adjustable carrying strap | Large 2-piece suction tube | 2 guide rollers | Debris bag approx. 40 l | Selector switch for vacuum/blower

2.0 / 3.9 kg | 1

515 x 230 x 295 mm

Article number 34.332.50

4 006825 580594

ELECTRIC BLOWER VAC

BG-EL 2500/2 E

230 V ~ 50 Hz | 2500 W | n_0= 7000 - 15000 min^{-1} | 40 l

780 m³/h | 240 km/h | Electronic | 10 : 1

GB ON/OFF switch | Adjustable carrying strap | Large 2-piece suction tube | 2 guide rollers | Debris bag approx. 40 l | Selector switch for vacuum/blower | Speed control electronics

2.0 / 3.9 kg | 1

510 x 265 x 305 mm

Article number 34.332.60

4 006825 580600

CORDLESS GRASS AND SHRUB SHEARS

BG-CG 3,6 Li

Li-Ion 3.6 V / 1.3 Ah | 3 - 5 hrs | 60 min | 70 mm

100 mm | 8 mm

GB Grass cutting blade | Shrub cutting blade | Telescopic handle with wheels | Changing blades without tools | Soft grip

0.7 / 1.8 kg | 1

900 x 160 x 90 mm

Article number 34.104.40

4 006825 550894

CORDLESS GRASS SHEARS

BG-CG 7,2/1 Li

Li-Ion 7.2 V / 1.3 Ah | 3 - 5 hrs | 60 min | 93 mm

150 mm | 8 mm

GB Grass cutting blade | Shrub cutting blade | Telescopic handle with wheels | Changing blades without tools | Soft grip

0.6 / 2.0 kg | 1

975 x 168 x 105 mm

Article number 34.106.20

4 006825 552836

CORDLESS HEDGE AND SHRUB SHAPER

BG-CC 7,2 Li

Li-Ion 7.2 V / 1.3 Ah | 3 - 5 h | 60 min | n_0=1600 min^{-1}

8 mm | Lasercut

GB Cutting blade | Safety switch | Metal gear | Laser cut blades | Soft grip

1.0 / 1.5 kg

1

285 x 140 x 123 mm

More information about this article

Scan in the QR code

Article number 34.100.00

4 006825 575972

Weight net / gross | Packing dimensions | Packaging unit

SHREDDERS

Einhell Germany AG

GARDEN SHREDDER
BG-KS 2440

230 V ~ 50 Hz | 2400 W S6 (40%) 2000 W S1 | 4500 min^{-1} | max. Ø 40 mm

GB Motor circuit breaker switch | 2 reversible blades made of special steel | Feed hopper with rubber slat | Swing-down funnel with safety interlock | Robust chassis with wheels | Angled blade plate | Incl. debris bag

12.2 kg / 13.5 kg | 1

720 x 320 x 420 mm

Article number 34.303.50

4 006825 580419

GARDEN SHREDDER
BG-RS 2540/1

230 V ~ 50 Hz | 2500 W S6 (40%) 2000 W S1 | n_0 = 40 min^{-1} | max. Ø 40 mm

93 dB (A)

GB Large funnel opening | Cutting roller | Chassis with wheels | Reverse running switch | Integrated plug with coupling lock for power cable | Incl. debris bag

26.2 / 32.0 kg | 1

550 x 305 x 610 mm

Article number 34.305.19

4 006825 583052

REPLACEMENT BLADE FOR BG-KS 2440

GB 2 reversible blades made of special steel

2

Article number 34.059.21

4 006825 548600

GARDEN SHREDDER
BG-RS 2540/1 CB

230 V ~ 50 Hz | 2500 W S6 (40%) 2000 W S1 | n_0 = 40 min^{-1} | max. Ø 40 mm

106 dB (A)

GB Generous funnel opening | Robust chassis with wheels | Incl. transparent debris box (60 l) | Reverse running switch | Integrated safety switch on the debris box | Integrated plug

29.2 / 32.0 kg | 1

570 x 415 x 515 mm

Article number 34.305.90

4 006825 583083

GARDEN SHREDDER
BG-RS 2845/1 CB

DE: rating "Good" | prize tip

230 V ~ 50 Hz | 2800 W S6 (40%) 2300 W S1 | n_0 = 40 min^{-1} | max. Ø 45 mm

92 dB (A)

GB Generous funnel opening | Robust chassis with wheels | Incl. transparent debris box (60 l) | Reverse running switch | Integrated safety switch on the debris box | Integrated plug

31.7 / 35.0 kg | 1

570 x 415 x 515 mm

Article number 34.305.61

4 006825 583090

HOSE CART WITH STORAGE AREA

BG-HR 60



GB Height-adjustable push bar | Large storage basket | Connection hose does not turn as well during winding and unwinding | Free-wheeling hand crank | Large wheels | Smooth running | Hose not included in delivery

2.3 / 2.8 kg | 1

335 x 110 x 435 mm

Article number 41.737.36

4 006825 548723

HOSE CART WITH STORAGE AREA

BG-HR 60 Z

GB Large storage basket | Connection hose does not turn as well during winding and unwinding | Free-wheeling hand crank | Large wheels | Robust, galvanized steel pipes | Hose not included in delivery

6.7 / 7.0 kg | 1

405 x 210 x 470 mm

Article number 41.737.37

4 006825 548747

UNIVERSAL SPREADER

BG-US 2,5



GB Infinitely adjustable speed control | Switch lock | Spreading quantity adjustment | Battery-powered | For spreading winter grit, fertilizer and grass seeds | Batteries not included in dellivery

1.1 / 1.4 kg | 1

290 x 240 x 305 mm

Article number 34.154.00

4 006825 561944

SPREADER

BG-SR 12

DE: price/performance "Good"

GB Double push bar for precise, easy control | Spring lock on both sides for storage in minimum space | Housing made of high-grade, impact-resistant plastic | Adjustment lever for regulating the spreading rate | Corrosion-resistant roller

2.5 / 3.0 kg | 1

520 x 250 x 200 mm

Article number 34.152.33

4 006825 548808

Weight net / gross

Packing dimensions

Packaging unit

PRESSURE SPRAYER
BG-PS 1,5/1

2 l / max. 1.5 l | max. 2 bar

GB Pump mechanism | Adjustable brass nozzle | Ideal for plant protection, weed control, flower care, leaf-feeding jobs in the home / garden

0.3 / 0.3 kg | 1

180 x 130 x 315 mm

Article number 34.251.52

4 006825 581416

PRESSURE SPRAYER
BG-PS 5

5 l | 6.5 l | 2.5 bar | 0.7 l/min

max. 60°

GB Plastic spray nozzle and stainless steel spray tube | Safety / Pressure valve | Carrying strap | Ergonomic handle made of high-quality impact-resistant plastic | Ideal for plant protection, weed control, etc.

1.1 / 1.4 kg | 1

180 x 180 x 440 mm

Article number 34.251.64

4 006825 548761

PRESSURE SPRAYER
BG-PS 5/1 PG

5 l | 7 l | 3 bar | 0.45 l/min

max. 60°

GB Brass sprayer with moveable brass nozzle | Safety / pressure valve | Carrying strap | Bottom ring | Safety-pressure release valve | Gauge | Ideal for plant protection, weed control, etc.

2.2 / 2.6 kg | 1

185 x 185 x 535 mm

Article number 34.251.81

4 006825 573671

LAWN ROLLER
BG-GR 57

1.5 mm | 57 cm | Ø 32 cm | 46 l

GB Powder-coated roller | Side filler with cap | Dirt wiper

10.5 / 12.8 kg | 1

635 x 350 x 385 mm

Article number 34.153.00

4 006825 542486

ELECTRIC GROUT CLEANER
BG-EG 1410

140 W | n_0 = 1200 min^{-1} | Ø 100

GB Ergonomically guide rail | Changeable brushes (1 x steel and 1 x nylon included in delivery) | Guide wheel | Cable strain relief

10.5 / 12.8 kg | 1

635 x 350 x 385 mm

Article number 34.240.00

4 006825 569834

REPLACEMENT BRUSH STEEL FOR BG-EG 1410

1

Article number 34.241.00

4 006825 569919

REPLACEMENT BRUSH NYLON FOR BG-EG 1410

1

Article number 34.241.10

4 006825 569926

Einhell®
BG-DW 900 N

Einhell Germany AG

SUBMERSIBLE PUMP
BG-SP 550 IF

230 V ~ 50 Hz | 550 W | 11000 l/h | 8.5 m

8 m | Ø 5 mm | 5 mm | 10 m

GB Carry handle | Hose connection G 1 ½ | Changeover switch Manual / Automatic | Float switch with mounting | Universal connector

4.4 / 5.0 kg | 4

220 x 175 x 350 mm

Article number 41.704.61

4 006825 549331

RAIN BARREL PUMP
BG-SP 400 RB

230 V ~ 50 Hz | 400 W | 4200 l/h | 11 m

5 m | Ø 3 mm | G ¾ | 10 m

GB Carry handle | Float switch | Pressure connector | Suction cage with integral filter | Pressure hose (approx. 1 m) | Draw-off hose | Distributor with stopcock

4.4 / 4.8 kg | 1

220 x 170 x 330 mm

Article number 41.703.03

4 006825 549362

SUBMERSIBLE PRESSURE PUMP
BG-DW 900 N

230 V ~ 50 Hz | 900 W | 6000 l/h | 32 m

8 m | Ø 2.5 mm | 10 m

GB Robust pressure connection with stainless steel insert | Pump housing made of rust-proof high-grade steel | 3 high-quality impellers | Float switch | 2 suspension eyelets | Hose connection G 1 | High quality floating ring seal

8.9 / 9.8 kg | 1

245 x 190 x 455 mm

Article number 41.709.60

4 006825 559453

DEEP WELL PUMP
BG-DW 1300 N

230 V ~ 50 Hz | 1300 W | 5000 l/h | 65 m

20 m | Clear water

GB Robust pressure connection with brass insert and integrated non-return valve | Pump housing and dirt trap made of rust-proof high-grade steel | External switchbox | Status/mains indicator | 20 m cord | Hose connection G 1 ½

15.9 / 17.9 kg | 1

913 x 203 x 207 mm

Article number 41.709.42

4 006825 549348

DIRTY WATER PUMP
BG-DP 1340 G

230 V ~ 50 Hz | 1300 W | 23000 l/h | 10 m

5 m | Ø 40 mm | 10 m

GB Carry handle and cable rewind | Hose connection G 2 | Float switch with mounting | Hose connection | Pump housing and pump wheel made of cast iron | High quality floating ring seal | 6 m cord

22.0 / 23.0 kg | 1

245 x 550 x 290 mm

Article number 41.707.40

4 006825 577655

Weight net / gross | Packing dimensions | Packaging unit

GARDEN PUMP

BG-GP 636

230 V ~ 50 Hz | 600 W | 3600 l/h | 40 m / 4 bar

8 m | R 1

GB Water filler screw / Water drain screw | Carry handle | ON/OFF switch | Driven by a powerful asynchronous motor with overload cut-out

9.5 / 10.8 kg | 1

380 x 200 x 280mm

Article number 41.802.65

4 006825 549492

GARDEN PUMP

BG-GP 1140 N

230 V ~ 50 Hz | 1100 W | 4000 l/h | 43 m / 4.3 bar

8 m | R 1

GB Water filler screw / Water drain screw | Carry handle | ON/OFF switch | Stainless steel pump housing

10.0 / 11.1 kg | 1

410 x 245 x 285 mm

Article number 41.814.43

4 006825 549461

GARDEN PUMP

BG-GP 1355 N

230 V ~ 50 Hz | 1300 W | 5500 l/h | 48 m / 4.8 bar

8 m | R 1

GB Water filler screw / Water drain screw | Carry handle | ON/OFF switch | Stainless steel pump housing | 5 plastic wheels

10.8 / 12.0 kg | 1

430 x 280 x 340 mm

Article number 41.822.41

4 006825 549447

HOME WATERWORKS

BG-WW 636

230 V ~ 50 Hz | 600 W | 3600 l/h | 40 m / 4 bar

8 m | R 1

GB Pressure switch | Pressure gauge | Tank 20 l

14.3 / 16.9 kg | 1

480 x 300 x 523 mm

Article number 41.731.19

4 006825 548181

HOME WATERWORKS

BG-WW 1038 N

230 V ~ 50 Hz | 1000 W | 3800 l/h | 43 m / 4.3 bar

8 m | R 1

GB Water filler screw / Water drain screw | Stainless steel pump housing | Tank 20 l | Pressure gauge | Pressure switch

14.3 / 16.8 kg | 1

600 x 300 x 520 mm

Article number 41.732.12

4 006825 549522

HOME WATERWORKS

BG-WW 1136

230 V ~ 50 Hz | 1100 W | 3600 l/h | 45 m / 4.5 bar

8 m | R 1

GB Large water filling screw | Water drain screw | Tank 19.2 l | Pressure gauge | Pressure switch | Integrated pre-filter

15.6 / 18.0 kg | 1

520 x 330 x 660 mm

Article number 41.732.41

4 006825 571806

Weight net / gross | Packing dimensions | Packaging unit

HOME WATERWORKS
BG-WW 1140 NN

230 V ~ 50 Hz | 1100 W | 4000 l/h | 43 m / 4.3 bar

8 m | R 1

GB Water filler screw | Water drain screw | Stainless steel pump housing | Stainless steel tank 20 l | Pressure gauge | Pressure switch

12.9 / 15.7 kg | 1

580 x 300 x 530 mm

Article number 41.732.21

4 006825 549560

HOME WATERWORKS
BG-WW 1355 NN

230 V ~ 50 Hz | 1300 W | 5500 l/h | 48 m / 4.8 bar

8 m | R 1

GB Water filler screw | Water drain screw | Stainless steel pump housing | Stainless steel tank 20 l | Pressure gauge | Pressure switch | 5 plastic wheels

15.6 / 18.0 kg | 1

540 x 320 x 640 mm

Article number 41.734.22

4 006825 549577

AUTOMATIC DOMESTIC WATER SYSTEM
BG-AW 1136

DE: rating "Good"

230 V ~ 50 Hz | 1100 W | 3600 l/h | 46 m / 4.6 bar

7 m | R 1

GB Large water filling screw | Electronic flow switch with LCD Display | Automatic - and timer function | Integrated pre-filter and non-return valve

10.4 / 12.4 kg | 1

475 x 275 x 370 mm

Article number 41.767.12

4 006825 571813

PREFILTER 12 cm WITH CARTRIDGE

1

Article number 41.738.01

4 006825 549188

PREFILTER 25 cm WITH CARTRIDGE

1

Article number 41.738.51

4 006825 549195

SUCTION HOSE SET 4 m WITH PLASTIC CONNECTOR R1

1

Article number 41.736.35

4 006825 549058

SUCTION HOSE 4 m WITH PLASTIC CONNECTOR R1

1

Article number 41.736.10

4 006825 544121

SUCTION HOSE 4 m WITH BRASS CONNECTOR R1



1

Article number 41.736.30

4 006825 549133

DRAIN HOSE 10 m / 25.4 mm (1")

1

Article number 41.737.14

4 006825 549249

SUCTION HOSE SET 7 m WITH PLASTIC CONNECTOR R1

1

Article number 41.736.45

4 006825 549102

SUCTION HOSE 7 m WITH PLASTIC CONNECTOR R1

1

Article number 41.736.20

4 006825 544138

SUCTION HOSE 7 m WITH BRASS CONNECTOR R1

1

Article number 41.736.40

4 006825 549171

ELECTRIC FLOW SWITCH FOR GARDEN PUMPS

GB Non-return valve | Connector | Socket | 1.45 m power cable

1

Article number 41.742.21

4 006825 549225

PETROL WATERPUMPS

PETROL WATER PUMP

BG-PW 18

4-stroke

1.8 kW (2.5 PS)

200 l/min

20 m / 2 bar

6 m

1,4 l

GB Powerful 4-stroke petrol engine | Rubber feet | Water filler port / Water drain screw | Suction / pressure connector 47.8 mm (R 1 ½) AG | Thread with adapter: 33.3 mm (R1) AG | Hose connector 38.1 mm (1 ½")

13.0 / 14.5 kg | 1

370 x 300 x 400 mm

Article number 41.713.26

4 006825 548617

PETROL WATER PUMP

BG-PW 48

4-stroke

4.8 kW (6.5 PS)

583 l/min

26 m / 2.6 bar

6 m

3.6 l

GB Powerful 4-stroke petrol engine; low oil guard | Strong tubular frame | Robust pump housing | Water filler port / Water drain screw | Suction / pressure connector 59.6 mm (R2) AG | Male thread with adapter: 33.3 mm (R1) AG | 42 mm (R1 ¼) AG, hose connector 50.8 mm (2")

26.6 / 29.0 kg | 1

475 x 400 x 405 mm

Article number 41.713.41

4 006825 548624

HOSE CONNECTOR FOR BG-PW 48 50.8 mm (2")

1

Article number 41.736.01

4 006825 548679

POND PUMPS / POND FILTER / POND ACCESSORIES

POND PUMP

BG-PP 1750 N

230 V ~ 50 Hz

50 W

1750 l/h

2 m

3 m

GB Intake cage with BIOCELL filter insert | Connection for water spout | Flow controller for water spout | 10 m connection cable with earthed plug | Various attachments

2.0 / 2.3 kg | 1

200 x 200 x 160 mm

Article number 41.724.55

4 006825 549591

POND PUMP

BG-PP 1950 N

230 V ~ 50 Hz

68 W

1950 l/h

2.3 m

3 m

GB Intake cage with BIOCELL filter insert | Connection for water spout | Flow controller for water spout | 10 m connection cable with earthed plug | Various attachments

2.2 / 2.3 kg | 1

200 x 200 x 160 mm

Article number 41.723.91

4 006825 549607

POND FILTER

BG-PF 3500

230 V ~ 50 Hz

74 W

10000 l

3500 l/h

2.8 m

3 m

GB Telescoping fountain pipe & cascade fountain | Suction cage with BIOCELL filter insert | Includes cascade fountain, bell fountain, bubble maker and goblet fountain | 10 m connection cable with earthed plug | Attachment for water spout

4.1 / 5.4 kg | 1

586 x 390 x 176 mm

Article number 36.062.60

4 006825 545418

Weight net / gross

Packing dimensions

Packaging unit

Einhell Germany AG

COLD WELDING AGENT FOR STANDARD POND LINER 90 ml

1

Article number 36.034.00

4 006825 361186

COLD WELDING AGENT FOR STANDARD POND LINER 800 ml

1

Article number 36.034.10

4 006825 361292

POND LINER 0.5 mm

GB On a roll, d = 0.5 mm, 6 x 25 m

Roller

Article number 36.017.80

4 006825 361667

POND LINER 0.8 mm

GB On a roll, d = 0.8 mm, 6 x 25 m

Roller

Article number 36.017.70

4 006825 361650

POND LINER 1.0 mm

GB On a roll, d = 1.0 mm, 6 x 20 m

Roller

Article number 36.016.00

4 006825 361445

POND LINER 1.2 mm

GB On a roll, d = 1.2 mm, 6 x 17 m

Roller

Article number 36.018.20

4 006825 361377

SLOPE MAT



GB On a roll, 1 x 15 m

Roller

Article number 36.175.00

4 006825 361544

"DE LUXE" STONE FOIL

GB On a roll, d = 0.5 mm, 0.6 x 15 m

Roller

Article number 36.016.60

4 006825 527704

POND FELT

GB On a roll, 2 x 25 m

Roller

Article number 36.018.50

4 006825 361476

COCONUT MAT

GB On a roll, 1 x 50 m

Roller

Article number 36.178.00

4 006825 361872

GB

Einhell Germany AG

We can help!
Have any questions on our products?
Want to order a spare part?
Your product no longer works as well as when you first bought it?

Contact us!
We will be glad to offer quick and unbureaucratic help.

iSC GmbH, Eschenstr. 6,
94405 Landau/Isar, Germany

(Landline charge 14 cent/min.)
(Mobil phone charge 42 cent/min.)
+ 49 (0) 1805 12 05 09

(Landline charge 14 cent/min.)
(Mobil phone charge 42 cent/min.)
+ 49 (0) 1805 83 58 30

www isc-gmbh.info

Einhell Germany AG
Wiesenweg 22
94405 Landau/Isar
Germany

www.einhell.com
info@einhell.com

© 2013 Einhell Germany AG
Subject to technical changes and errors

Art. no. 510238
Date of issue 04.2013

Einhell